AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

~

Claim 1 to 4 (Canceled)

Claim 5 (Previously Presented): Apparatus for regeneration of a catalyst plant comprising:

a SCOSOx catalyst for the removal of SO2, and arranged downstream thereof, a SCONOx catalyst for the removal of NOx, from the flue gas of a gas turbine, and also at least one supply pipe for the introduction of regenerating gas. and at least one drain pipe for the extraction of regenerating gas, wherein the supply pipe opens between the SCOSOx catalyst and the SCONOx catalyst, and is connected to the drain pipe which leaves upstream of the SCOSOx catalyst, and a further supply pipe for the supply of fresh regenerating gas is present and opens downstream of the SCONOx catalyst.

Claim 6 (Previously Presented): Apparatus for regeneration of a catalyst plant comprising:

a catalyst plant with a SCOSOx catalyst for the removal of SO2, and arranged downstream thereof, a SCONOx catalyst for the removal of NOx, from the flue gas of a gas turbine, and also at least one supply pipe for the introduction of regenerating gas, and at least one drain pipe for the extraction of regenerating gas, wherein the

supply pipe opens upstream of the SCOSOx catalyst and is connected to the drain pipe which leaves between the SCOSOx catalyst and the SCONOx catalyst, and a further supply pipe for the supply of fresh regenerating gas is present and opens downstream of the SCONOx catalyst.

٠,

Claim 7 (Previously Presented): Apparatus for regeneration of a catalyst plant comprising:

a catalyst plant with a SCOSOx catalyst for the removal of SO2, and arranged downstream thereof, a SCONOx catalyst for the removal of NOx, from the flue gas of a gas turbine, and also with at least one supply pipe for the introduction of regenerating gas, and at least one drain pipe for the extraction of regenerating gas, leaving upstream of the SCOSOx catalyst, wherein the supply pipe opens between the SCOSOx catalyst and the SCONOx catalyst, and is connected to a further drain pipe arranged downstream of the SCONOx catalyst.

Claim 8 (Currently Amended): Apparatus according to claim 5, wherein [[a]] at least one supply pipe for the addition of molecular hydrogen or hydrocarbon opens into at least one of the supply pipe for the introduction of regenerating gas and the further supply pipe for the supply of fresh regenerating gas.

Claim 9 (Currently Amended): Apparatus according to claim 8, wherein:

a steam reforming catalyst is situated between the <u>an</u> opening of the <u>at least</u>

one supply pipe for the addition of molecular hydrogen or hydrocarbon that opens

into the supply pipe for the introduction of regenerating gas, and the an opening of

the supply pipe for the introduction of regenerating gas that opens between the SCOSOx catalyst and the SCONOx catalyst; and/or

•

a steam reforming catalyst is situated between an opening of the at least one supply pipe for the addition of molecular hydrogen or hydrocarbon that opens into the further supply pipe for the supply of fresh regenerating gas, and an opening of the further supply pipe for the supply of fresh regenerating gas that opens downstream of the SCONOx catalyst.

Claim 10 (Previously Presented): Apparatus according to claim 5, wherein a purge duct for the supply or removal of a cleaning gas opens into at least one supply pipe or drain pipe.

Claim 11 (Previously Presented): Apparatus according to claim 5, wherein at least one drain pipe is connected to a hydrogen monitor and to an oxygen monitor.

Claim 12 (Previously Presented): Apparatus according to claim 5, further comprising a purge duct for the supply or removal of a cleaning gas, the purge duct opening into the drain pipe.

Claim 13 (Previously Presented): Apparatus according to claim 5, wherein the at least one drain pipe is connected to a hydrogen monitor and to an oxygen monitor.

Claim 14 (Currently Amended): Apparatus according to claim 6, wherein [[a]] at least one supply pipe for the addition of molecular hydrogen or hydrocarbon opens into at least one of the supply pipe for the introduction of regenerating gas and the further supply pipe for the supply of fresh regenerating gas.

•).

Claim 15 (Currently Amended): Apparatus according to claim 14, wherein:

a steam reforming catalyst is situated between the <u>an</u> opening of the <u>at least</u>

one supply pipe for the addition of molecular hydrogen or hydrocarbon that opens

into the supply pipe for the introduction of regenerating gas, and the <u>an</u> opening of
the supply pipe for the introduction of regenerating gas that opens upstream of the

SCOSOx catalyst; and/or

a steam reforming catalyst is situated between an opening of the at least one supply pipe for the addition of molecular hydrogen or hydrocarbon that opens into the further supply pipe for the supply of fresh regenerating gas, and an opening of the further supply pipe for the supply of fresh regenerating gas that opens downstream of the SCONOx catalyst.

Claim 16 (Previously Presented): Apparatus according to claim 6, wherein a purge duct for the supply or removal of a cleaning gas opens into at least one supply pipe or drain pipe.

Claim 17 (Previously Presented): Apparatus according to claim 6, wherein at least one drain pipe is connected to a hydrogen monitor and to an oxygen monitor.

Page 7

Claim 18 (Previously Presented): Apparatus according to claim 6, further comprising a purge duct for the supply or removal of a cleaning gas, the purge duct opening into the drain pipe.

•) (

Claim 19 (Previously Presented): Apparatus according to claim 6, wherein the at least one drain pipe is connected to a hydrogen monitor and to an oxygen monitor.

Claim 20 (Previously Presented): Apparatus according to claim 7, wherein a supply pipe for the addition of molecular hydrogen or hydrocarbon opens into at least one supply pipe.

Claim 21 (Currently Amended): Apparatus according to claim 20, wherein a steam reforming catalyst is situated between the an opening of the at least one supply pipe for the addition of molecular hydrogen or hydrocarbon that opens into the supply pipe for the introduction of regenerating gas, and the an opening of the supply pipe for the introduction of regenerating gas that opens between the SCOSOx catalyst and the SCONOx catalyst.

Claim 22 (Previously Presented): Apparatus according to claim 7, wherein a purge duct for the supply or removal of a cleaning gas opens into at least one supply pipe or drain pipe.

Claim 23 (Previously Presented): Apparatus according to claim 7, wherein at least one drain pipe is connected to a hydrogen monitor and to an oxygen monitor.

•`.

Claim 24 (Previously Presented): Apparatus according to claim 7, further comprising a purge duct for the supply or removal of a cleaning gas, the purge duct opening into the drain pipe.

Claim 25 (Currently Amended): Apparatus according to claim 7, wherein the at least one <u>further</u> drain pipe is connected to a hydrogen monitor and to an oxygen monitor.

Claim 26 (Previously Presented): An apparatus for regenerating catalyst in a catalyst plant, the apparatus comprising:

a catalyst plant comprising a SCOSOx catalyst for the removal of SO2 and at least one SCONOx catalyst for the removal of NOx, the SCOSOx catalyst upstream of the at least one SCONOx catalyst,

a first supply pipe in fluid communication with the catalyst plant at a first introduction point downstream of the at least one SCONOx catalyst to introduce a regeneration gas into the catalyst plant;

at least one drain pipe in fluid communication with the catalyst plant at a first extraction point upstream of the SCOSOx catalyst or between the SCOSOx catalyst and the at least one SCONOx catalyst; and

a second supply pipe in fluid communication with the catalyst plant at a second introduction point separated from the at least one drain pipe by the SCOSOx catalyst.